

MADE FOR THE SMART GENERATION



Retail Products Price List

Maximum Retail Price Effective from 01-05-2022



Smart Ideas for the Smart Generation

L&T Electrical and Automation brings you an inspiring range of modular switches that is a true example of Engineering Excellence. With futuristic features and contemporary designs, each of the distinct ranges are smart crafted with the modern Indian home in mind. Smartly, this catalog to find a product that matches your style.

Contents

Pg No
04-15



Tripper

Pg No
16-25



englaze

Pg No
26-35



entice

Pg No
37-41




enGem

Pg No
42-46



ORIS

Trip  **per**®
FINAL DISTRIBUTION PRODUCTS






World Class Safety Standards

Trippler products conform to relevant global standards viz., IEC, EN and IS. They also have CE/ISI marking and DEKRA certification.



Safety Redefined

Finger proof terminals eliminate chances of accidental contact with live parts. You can install, operate and maintain trippler with total confidence.



Energy Limiting Class - 3

If fault occurs, the rapid arc quenching mechanism operates and extinguishes the arc quickly, ensuring lowest possible energy flow through the circuit. This minimizes risk of fire and maximizes life of your equipment.



Safety Meets Superior Aesthetics

Ergonomically designed, profiled for superior cooling and manufactured with fire retardant material. Trippler offers user safety combined with elegance.



True Contact Indication

Trippler range enhances safety through true contact indication even from a distance regardless of it's knob position. Red and Green indication flag positively identifies the electrical ON/OFF status.



Innovatively Profiled Breathing Channels

When two or more poles are placed adjacent to each other, the breathing channels are so profiled that the air circulates around individual pole, resulting in cooler operation, year after year.




Large Terminal Size & Biconnect

Trippler can easily accommodate cables of up to 35 sq.mm. Biconnect terminals offer convenience of connecting both cable and bus bar.




Two Position DIN Rail Clip

Installation on a DIN rail is further simplified with a two position DIN rail clip as a standard feature. Trippler range makes mounting on a standard DIN rail more convenient.



Non-Welding Contacts

Silver Graphite contact tips ensure higher life and maximum safety against contact welding due to it's superior anti-welding properties, enhancing safety and life of the system.



Combihead Screw

Trippler range of products provided with combihead screws allow you to use standard as well as Phillips screwdrivers, offering flexibility.



HIGHLIGHTS


- marked, marked
- Conforms to IS/IEC 60898 - 6 kA
- Higher life with use of heavy duty contacts
- Innovatively designed breathing channels between poles ensure cooler operation
- Energy saving - watt loss approximately 50% lower than those prescribed by IEC standard
- Manufactured with high quality fire retardant material
- True contact indication for enhanced safety



Single Pole

MINIATURE CIRCUIT BREAKERS (MCBs) - B CURVE

Description	Single Pole	
	Cat No	MRP/Unit in ₹
6A B Curve	BA10060B	198
10A B Curve	BA10100B	198
16A B Curve	BA10160B	198
20A B Curve	BA10200B	198
25A B Curve	BA10250B	198
32A B Curve	BA10320B	198
40A B Curve	BA10400B	465



Single Pole

Double Pole

Three Pole

Four Pole

MINIATURE CIRCUIT BREAKERS (MCBs) - C CURVE

Description	Single Pole		Double Pole		Three Pole		Four Pole	
	Cat No	MRP/Unit in ₹	Cat No	MRP/Unit in ₹	Cat No	MRP/Unit in ₹	Cat No	MRP/Unit in ₹
6A C Curve	BA10060C	198	BA20060C	720	BA30060C	1190	BA40060C	1575
10A C Curve	BA10100C	198	BA20100C	720	BA30100C	1190	BA40100C	1575
16A C Curve	BA10160C	198	BA20160C	720	BA30160C	1190	BA40160C	1575
20A C Curve	BA10200C	198	BA20200C	720	BA30200C	1190	BA40200C	1575
25A C Curve	BA10250C	198	BA20250C	720	BA30250C	1190	BA40250C	1575
32A C Curve	BA10320C	198	BA20320C	720	BA30320C	1190	BA40320C	1575
40A C Curve	BA10400C	465	BA20400C	1065	BA30400C	1710	BA40400C	2090
63A C Curve	BA10630C	520	BA20630C	1180	BA30630C	1835	BA40630C	2245

Note: Standard Pack Quantity for MCB: SP - 12 Nos., DP - 6 Nos., TP - 4 Nos., FP - 3 Nos.



HIGHLIGHTS

- marked, marked
- Conforms to IS 12640 - 1, IEC 61008-1
- Available in DP & FP versions from 25A to 63A ratings with 30mA, 100mA & 300mA sensitivity
- Operates on Core Balance Current Transformer (CBCT) principle
- Finger proof IP20 terminals



RESIDUAL CURRENT CIRCUIT BREAKERS/EARTH LEAKAGE CIRCUIT BREAKERS (RCCBs/ELCBs)



Double Pole



Four Pole

Description	Double Pole		Four Pole	
	Cat No	MRP/Unit in ₹	Cat No	MRP/Unit in ₹
25A 30mA	BC202503	2620	BC402503	3435
25A 100mA	BC202510	2715	BC402510	3500
25A 300mA	BC202530	2715	BC402530	3500
40A 30mA	BC204003	2895	BC404003	3490
40A 100mA	BC204010	2925	BC404010	3565
40A 300mA	BC204030	2925	BC404030	3565
63A 30mA	BC206303	3700	BC406303	3885
63A 100mA	BC206310	3745	BC406310	3940
63A 300mA	BC206330	3745	BC406330	3940

HIGHLIGHTS

- marked
- Conforms to IEC 60947 - 3
- Higher life with use of heavy duty contacts
- Innovatively designed breathing channels between poles ensure cooler operation
- Manufactured with high quality fire retardant material
- True contact indication for enhanced safety



Double Pole

Three Pole



Four Pole

ISOLATORS

Description	Double Pole		Three Pole		Four Pole	
	Cat No	MRP/Unit in ₹	Cat No	MRP/Unit in ₹	Cat No	MRP/Unit in ₹
40A Isolator	BE204000	450	BE304000	785	BE404000	1015
63A Isolator	BE206300	565	BE306300	900	BE406300	1050
100A Isolator	BE210000	765	BE310000	1065	BE410000	1270

Note: Standard Pack Quantity for Isolator : DP - 6 Nos., TP - 4 Nos., FP - 3 Nos.



HIGHLIGHTS

- CE marked
- Conforms to IEC 60947-6, IEC 60947-3
- Wide Range of Current Ratings
 - Generator Side - 1.5A to 30A
 - Electricity Board Side - 30A
- No. of Poles 1P+N, for single phase applications
- Protection Degree - IP20
- Reliable microcontroller based design for sensing & control
- Lower power consumption
- RoHS compliant



ACCL



AUTOMATIC CHANGEOVER WITH CURRENT LIMITER(ACCL)

Description EB/DG	Modules	Cat No	MRP/Unit in ₹
30A/1.5A	4	BCL010301E5	2085
30A/2.5A	4	BCL010302E5	2085
30A/3A	4	BCL01030003	2085
30A/4A	4	BCL01030004	2085
30A/5A	4	BCL01030005	2085
30A/6A	4	BCL01030006	2085
30A/8A	4	BCL01030008	2085
30A/10A	4	BCL01030010	2085
30A/12A	4	BCL01030012	2085
30A/15A	4	BCL01030015	2085
30A/20A	4	BCL01030020	2085
30A/30A#	4	BCL01030030	2085


#Non current limiting variant

HIGHLIGHTS

- Conforms to IEC 60947-3
- Available with 3 positions (I-O-II) with centre off position
- Utilization category AC-22A



Double Pole



Four Pole

MODULAR CHANGEOVER SWITCHES

Double Pole				Four Pole			
Description	Modules	Cat No	MRP/Unit in ₹	Description	Modules	Cat No	MRP/Unit in ₹
25A	2	AUC00202500	1550	40A	4	AUC00404000	4085
40A	2	AUC00204000	2370	63A	6	AUC00406300	4635
63A	3	AUC00206300	2760				



HIGHLIGHTS

- marked, marked
- Conforms to IS 12640-2, IEC 61009-1
- Combination of ELCB & MCB (EL+MCB) offers 3 in 1 protection against - overload, short circuit and earth leakage
- Easy fault identification -
 1. Over current fault : MCB side knob trips
 2. Leakage current fault : Both MCB and ELCB side knobs trip



Double Pole



Four Pole

Note: Standard Pack Quantity for EL+MCB: DP - 8 Nos., FP - 6 Nos.



EARTH LEAKAGE + MINIATURE CIRCUIT BREAKER - EL+MCB (RCBO)

Description	Double Pole				
	Cat No (30 mA)	MRP/Unit in ₹	Cat No (100 mA)	Cat No (300 mA)	MRP/Unit in ₹
6A 2P EL+MCB	CB900010OTO	3820	CB900030OTO	CB900050OTO	3960
10A 2P EL+MCB	CB900010OVO	3820	CB900030OVO	CB900050OVO	3960
16A 2P EL+MCB	CB900010OBO	3820	CB900030OBO	CB900050OBO	3960
20A 2P EL+MCB	CB900010OCO	3820	CB900030OCO	CB900050OCO	3960
25A 2P EL+MCB	CB900010ODO	3820	CB900030ODO	CB900050ODO	3960
32A 2P EL+MCB	CB900010OEO	4290	CB900030OEO	CB900050OEO	4210
40A 2P EL+MCB	CB900010OFO	4290	CB900030OFO	CB900050OFO	4210
63A 2P EL+MCB	CB900010OHO	5265	CB900030OHO	CB900050OHO	5025

EARTH LEAKAGE + MINIATURE CIRCUIT BREAKER - EL+MCB (RCBO)

Description	Four Pole				
	Cat No (30 mA)	MRP/Unit in ₹	Cat No (100 mA)	Cat No (300 mA)	MRP/Unit in ₹
6A 4P EL+MCB	CB900020OTO	4535	CB900040OTO	CB900060OTO	4430
10A 4P EL+MCB	CB900020OVO	4535	CB900040OVO	CB900060OVO	4430
16A 4P EL+MCB	CB900020OBO	4535	CB900040OBO	CB900060OBO	4430
20A 4P EL+MCB	CB900020OCO	4535	CB900040OCO	CB900060OCO	4430
25A 4P EL+MCB	CB900020ODO	4535	CB900040ODO	CB900060ODO	4430
32A 4P EL+MCB	CB900020OEO	4895	CB900040OEO	CB900060OEO	4665
40A 4P EL+MCB	CB900020OFO	4895	CB900040OFO	CB900060OFO	4665
63A 4P EL+MCB	CB900020OHO	5795	CB900040OHO	CB900060OHO	5415



VALUE + STYLE

The Tripbox PLUS range of Distribution Boards offer the perfect blend of aesthetics and value. Crafted for modern homes, its features ensure ease of installation, enhanced safety and protection with a dash of style.



SAFETY WITH STYLE

Options for flush and surface mounting


Powder - coated, matte finish - RAL9003

Insulated Busbar



As per IS 8623 Standards

Shrouded neutral bars to avoid accidental contact with live parts




EASE OF INSTALLATION

Reversible door for double door Distribution Boards to adapt to site conditions



More space for ease of wiring



PROTECTION FROM DAMAGE

CRCA sheet steel for extra durability

Plastic corners for corner protection



Cement spill protector - To protect DB interior from cement splashes during civil work



SPN DISTRIBUTION BOARDS

- As per IS 8623
- Available in 4, 6, 12 & 16 way
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bar, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- Choice of metal and glazed door
- With provision for DP MCB/Isolator/RCCB/RCBO as incomer and SP MCBs as outgoing



Double Door

Double Door Glazed

SPN DISTRIBUTION BOARDS

Description	Modules		Double Door	MRP/Unit in ₹	Double Door - Glazed	MRP/Unit in ₹
	Incomer	Outgoing				
4-Way	2	2	PH104DDB	1525	PH104DDG	1990
6-Way	2	4	PH106DDB	1765	PH106DDG	2135
8-Way	2	6	PH108DDB	1880	PH108DDG	2325
12-Way	2	10	PH112DDB	2260	PH112DDG	2815
16-Way	2	14	PH116DDB	2835	PH116DDG	3480

TPN DISTRIBUTION BOARDS

- As per IS 8623
- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- Choice of metal and glazed door
- With provision for FP MCB/Isolator/RCCB/RCBO as incomer and SP MCBs as outgoing



Double Door

Double Door Glazed

TPN DISTRIBUTION BOARDS

Description	Modules		Double Door	MRP/Unit in ₹	Double Door - Glazed	MRP/Unit in ₹
	Incomer	Outgoing				
4-Way	8	4+4+4	PH304DDB	3740	PH304DDG	4885
6-Way	8	6+6+6	PH306DDB	4660	PH306DDG	6050
8-Way	8	8+8+8	PH308DDB	5570	PH308DDG	7245
12-Way	8	12+12+12	PH312DDB	8300	PH312DDG	11090

HORIZONTAL PPI (PER PHASE ISOLATION) DBs

- As per IS 8623
- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- With provision for FP MCB/Isolator/RCCB/RCBO as incomer, DP RCCB/RCBO as sub-incomer and SP MCBs as outgoing



Double Door

HORIZONTAL PPI (PER PHASE ISOLATION) DBs

Description	Modules			Double Door	MRP/Unit in ₹
	Incomer	Sub-Incomer	Outgoing		
4-Way	8	2+2+2	4+4+4	PHP304DDB	6185
6-Way	8	2+2+2	6+6+6	PHP306DDB	7405
8-Way	8	2+2+2	8+8+8	PHP308DDB	8835
12-Way	8	2+2+2	12+12+12	PHP312DDB	12045

PHASE SEGREGATED DBs

- As per IS 8623
- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- With provision for FP MCB/Isolator as incomer, DP RCCB/RCBO as sub-incomer and SP MCBs as outgoing



Double Door

PHASE SEGREGATED DBs

Description	Modules			Double Door	MRP/Unit in ₹
	Incomer	Sub-Incomer	Outgoing		
4-Way	8	4+4+4	4+4+4	PHS304DDB	9835
6-Way	8	4+4+4	6+6+6	PHS306DDB	11100
8-Way	8	4+4+4	8+8+8	PHS308DDB	12395
12-Way	8	4+4+4	12+12+12	PHS312DDB	15645

PHASE SELECTOR DBs

- As per IS 8623
- Available in 4, 6, 8 & 12 way
- Provided with 63A Selector Switches
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cable ties, Blanking plates and Circuit identification label
- With provision for FP MCB/Isolator/RCCB/RCBO as incomer and SP MCBs as outgoing



Double Door

PHASE SELECTOR DBs

Description	Modules		Double Door	MRP/Unit in ₹
	Incomer	Outgoing		
4-Way	8	4+4+4	PHC04DDB	13140
6-Way	8	6+6+6	PHC06DDB	13450
8-Way	8	8+8+8	PHC08DDB	14265
12-Way	8	12+12+12	PHC12DDB	16005

VTPN DBs WITH MODULAR INCOMER

- As per IS 8623
- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, Insulated vertical phase bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- With provision for FP MCB/Isolator/RCCB/RCBO as incomer and SP/TP MCBs as outgoing



Double Door

VTPN DBs WITH MODULAR INCOMER

Description	Modules		Double Door	MRP/Unit in ₹
	Incomer	Outgoing		
4-Way	8	4+4+4	PHV304DDB	9045
6-Way	8	6+6+6	PHV306DDB	10390
8-Way	8	8+8+8	PHV308DDB	12055
12-Way	8	12+12+12	PHV312DDB	15950

VTPN DBs WITH MCCB INCOMER

- As per IS 8623
- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, Insulated vertical phase bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- With provision for MCCB as incomer and SP/TP MCBs as outgoing
- Suitable for 3P/4P MCCB as incomer upto 125A - DY125U



Double Door

VTPN DBs WITH MCCB INCOMER

Description	Modules		Double Door	MRP/Unit in ₹
	Incomer	Outgoing		
4-Way	MCCB	4+4+4	PHV304DYM	10790
6-Way	MCCB	6+6+6	PHV306DYM	12625
8-Way	MCCB	8+8+8	PHV308DYM	13715
12-Way	MCCB	12+12+12	PHV312DYM	17735

ENCLOSURES

- As per IS 8623
- Available in 2, 3, 4 & 6 way
- With provision to mount MCB/Isolator/RCCB/RCBO or other modular devices



Single Door

PLUG & SOCKET DBs

- As per IS 8623
- SPN 10A & 20A; TPN - 32A
- With provision to mount MCBs/RCCBs



Single Door

METAL PLUG & SOCKET

- Designed to ensure safe functioning of electrical equipment and the user safety
- Plugs & Sockets find its applications at air conditioners, welding machines, industrial equipment, etc., are made of non corrosive aluminum alloy
- Conforms to IS 8804



Metal Plug

Metal Socket

ENCLOSURES

Description	Modules	Single Door	MRP/Unit in ₹
2-Way	2	PHE02DB	450
3-Way	3	PHE03DB	500
4-Way	4	PHE04DB	500
6-Way	6	PHE06DB	755

PLUG & SOCKET DBs

Description	No. of Pins	Modules	Single Door	MRP/Unit in ₹
10A, 2 Pin+SC^	P+N	1	PMP110DB	1140
20A, 2 Pin+SC^	P+N	1	PMP120DB	1210
20A, 2 Pin+SC^	P+N	2	PMP220DB	1325
32A, 3 Pin+SC^	3P	3	PMP332DB	3135

SC^ - Scrapping Earth

METAL PLUG & SOCKET

Description	No. of Pins	Cat No	MRP/Unit in ₹
Metal Plug			
10A, 2 Pin+SC^	P+N	MPS210P	175
20A, 2 Pin+SC^	P+N	MPS220P	185
20A, 3 Pin+SC^	3P	MPS320P	245
32A, 3 Pin+SC^	3P	MPS332P	465
Metal Socket			
10A, 2 Pin+SC^	P+N	MPS210S	180
20A, 2 Pin+SC^	P+N	MPS220S	200
20A, 3 Pin+SC^	3P	MPS320S	275
32A, 3 Pin+SC^	3P	MPS332S	465

SC^ - Scrapping Earth

Note: Standard Pack Quantity for Metal Plug & Socket - 20 Nos.



Single Door



Double Door

HIGHLIGHTS

- Ready to use DBs, complete with colour - coded wire set, 100A bus bar, Neutral bar/s & Earth bar/s
- Superior quality powder coating for better looks and longer life
- DB is suitable for surface or flush mounting



Single Door



Double Door



Double Door

SINGLE PHASE NEUTRAL (SPN) DBs

Description	Modules		Single Door	MRP/Unit in ₹	Double Door	MRP/Unit in ₹
	Incomer	Outgoing				
4 way	2	2	BH104SDB	890	BH104DDB	1435
6 way	2	4	BH106SDB	980	BH106DDB	1610
8 way	2	6	BH108SDB	1110	BH108DDB	1765
12 way	2	10	BH112SDB	1470	BH112DDB	2155
16 way	2	14	BH116SDB	1835	BH116DDB	2655

THREE PHASE NEUTRAL (TPN) DBs

Description	Modules		Single Door	MRP/Unit in ₹	Double Door	MRP/Unit in ₹
	Incomer	Outgoing				
4 way	8	4+4+4	BH304SDB	2760	BH304DDB	3610
6 way	8	6+6+6	BH306SDB	3410	BH306DDB	4380
8 way	8	8+8+8	BH308SDB	3945	BH308DDB	5315
12 way	8	12+12+12	BH312SDB	5550	BH312DDB	7585

PHASE SELECTOR DBs

Description	Modules		Double Door	MRP/Unit in ₹
	Incomer	Outgoing		
4 way	8	4+4+4	BHC04DDB	11235
6 way	8	6+6+6	BHC06DDB	11970


Provided with 40A selector switches

englaze

#SWITCHUP

When you have stepped beyond the ordinary, every step you take elevates you. Every step is a switch up. Flawlessly flat and majestically minimal, englaze would silently stay a testament to your taste, the life you lived and the world you built around you.

**SWITCH UP TO THE EXTRAORDINARY.
SWITCH UP TO ENGLAZE.**





ANTI-BACTERIAL

No need to keep disinfecting your switches. No one can tarnish the silver infused Englaze range that stays anti-bacterial forever.



**FABULOUSLY
FLAT LOOK**

Englaze is designed to look flat from every angle. With super thin plates and carefully crafted switches, these don't bulge or clutter, they just stay pretty.



**SMART
CONNECTORS**

Don't go searching for adapters now, plug in everything directly with smart connectors. HDMI, VGA, RCA, USB for data & charging and just about everything you need.



**GLAMOROUSLY
WIDE**

The two module switches add glamour to your walls with its uniquely sleek and chic style.



**BEAUTIFULLY
BRIDGELESS**

Our design philosophy allows no room for gaps. Every element seamlessly flows into the next like a well written poem.



**SAFETY
SHUTTERS**

Go ahead and let your children be mischievous. Every socket is carefully designed with safety shutters to keep them safe.



**INDICATIVE
REGULATORS**

Don't worry about fumbling with the regulators anymore, these beauties come with indicators that tell you exactly what speed its on. Plus, its so pretty!



**INDICATIVE
ILLUMINATION**

Like fireflies, the indicator switches illuminate with grace, using long life LEDs.



**SOFT FEEL
SWITCHES**

Welcome home the silent beauty. Nothing can disturb you, not even a toggling of switches with englaze soft feel switches.



**QUICK
CHARGING**

No need to wait any longer to charge your devices. With USB type A and USB type C charging solutions you can charge your devices faster and safer.



**TOUCH THE
FUTURE**

No need to get out of the middle of the great conversations to turn the devices on/off. Now control your devices with IR remote control and feather Touch interface with a luxurious experience.



**FLAT DESIGN FAN
REGULATOR**

Flat Fan regulator design concept to compliment the flat design philosophy of englaze range.



SWITCHES - 1 MODULE



Description	Snow White			Mountain Grey		
	Cat No	MRP in ₹	Std Pack	Cat No	MRP in ₹	Std Pack
Switch 10 AX 1-Way 1M	CB92101SW10	188	20	CB92101SM10	216	20
Switch 10 AX 1-Way with Indicator 1M	CB92301SW10	322	20	CB92301SM10	405	20
Switch 10 AX 2-Way 1M	CB92201SW10	307	20	CB92201SM10	383	20
Switch 16 AX 1-Way 1M	CB92101SW16	360	20	CB92101SM16	449	20
Switch 16 AX 1-Way with Indicator 1M	CB92301SW16	432	20	CB92301SM16	541	20
Switch 16 AX 2-Way 1M	CB92201SW16	432	20	CB92201SM16	541	20
Switch 20 A 1-Way 1M*	CB92101SW20	447	20	CB92101SM20	559	20
Switch 20A 1-Way with Indicator 1M*	CB92301SW20	541	20	CB92301SM20	677	20
Switch 20A 2-Way 1M*	CB92201SW20	541	20	CB92201SM20	677	20
New Switch 25 A 1-Way 1M	CB92101SW25	481	20	CB92101SM25	607	20
New Switch 25A 1-Way with Indicator 1M	CB92301SW25	589	20	CB92301SM25	734	20

* Marked Cat Nos are available till stocks last.

SWITCHES - 2 MODULE (MEGA SWITCHES)



Description	Snow White			Mountain Grey		
	Cat No	MRP in ₹	Std Pack	Cat No	MRP in ₹	Std Pack
Switch 20A DP with Indicator 2M	CB92402SW20	697	10	CB92402SM20	873	10
Switch 32A DP with Indicator 2M	CB92402SW32	834	10	CB92402SM32	1043	10
Switch 10 AX 1-Way 2M	CB92102SW10	289	10	CB92102SM10	361	10
Switch 10 AX 1-Way with Indicator 2M	CB92302SW10	387	10	CB92302SM10	486	10
Switch 10 AX 2-Way 2M	CB92202SW10	367	10	CB92202SM10	461	10
Switch 16 AX 1-Way 2M	CB92102SW16	430	10	CB92102SM16	538	10
Switch 16 AX 1-Way with Indicator 2M	CB92302SW16	519	10	CB92302SM16	649	10
Switch 16 AX 2-Way 2M	CB92202SW16	519	10	CB92202SM16	649	10
Switch 20 A 1-Way 2M	CB92102SW20	537	10	CB92102SM20	671	10
Switch 20 A 1-Way with Indicator 2M	CB92302SW20	649	10	CB92302SM20	811	10
Switch 20 A 2-Way 2M	CB92202SW20	649	10	CB92202SM20	811	10

- All Switches and bell push are ISI marked and conforms to IS 3854: 1997
- "AX" rating for switches are suitable to fluorescent lights also.





CB92101BW10 CB92301BW10 CB92102BW10 CB92302BW10



CB92101BM10 CB92301BM10 CB92102BM10 CB92302BM10



CB92102MW20 CB92102MM20
CB92102MW25 CB92102MM25



CB92101DM04 CB92102DM10 CB921101RM01 CB92102RM02 CB92202RM02

BELL PUSH

Description	Snow White			Mountain Grey		
	Cat No	MRP in ₹	Std Pack	Cat No	MRP in ₹	Std Pack
Bell Push 10A 1M	CB92101BW10	320	20	CB92101BM10	402	20
Bell Push 10A with Indicator 1M	CB92301BW10	371	20	CB92301BM10	462	20
Bell Push 10A 2M	CB92102BW10	415	10	CB92102BM10	517	10
Bell Push 10A with Indicator 2M	CB92302BW10	474	10	CB92302BM10	595	10

MOTOR STARTER

Description	Snow White			Mountain Grey		
	Cat No	MRP in ₹	Std Pack	Cat No	MRP in ₹	Std Pack
Motor Starter 20A 2M	CB92102MW20	1236	10	CB92102MM20	1546	10
Motor Starter 25A 2M	CB92102MW25	1262	10	CB92102MM25	1577	10


FAN REGULATORS & DIMMERS

Description	Snow White			Mountain Grey		
	Cat No	MRP in ₹	Std Pack	Cat No	MRP in ₹	Std Pack
Dimmer 400 W 1M	CB92101DW04	930	10	CB92101DM04	1163	10
Dimmer 1000 W 2M	CB92102DW10	1492	5	CB92102DM10	1866	5
Fan Regulator 4-Step 80W 1M	CB92101RW01	864	10	CB92101RM01	1080	10
Fan Regulator 5-Step 120W 2M with ISI	CB92102RW02	1142	5	CB92102RM02	1428	5
New Fan Regulator 5-Step Flat type 120W 2M with ISI	CB92202RW02	1142	5	CB92202RM02	1428	5

- 5 step fan regulator conforms to IS 11037: 1984 and comes with "flag indicator".
- All fan regulators are with 360 degree rotation.
- Dimmers only support incandescent and halogen load.



POWER SOCKETS



- 6A 3 Pin , 6A/16A 3 Pin Combi Sockets conforms to latest IS Standard of IS 1293:2019.
- All sockets are equipped with safety shutters.
- 6A 3 Pin Socket is suitable for 2 Pin Plug top also.

Description	Snow White			Mountain Grey		
	Cat No	MRP in ₹	Std Pack	Cat No	MRP in ₹	Std Pack
Socket 6A 2-Pin Euro Type 1M	CB92101CW06	251	20	CB92101CM06	313	20
Socket 6A 3 Pin with ISI 2M	CB92602CW06	287	10	CB92602CM06	359	10
Socket 6A 5 Pin 2M	CB92302CW06	294	10	CB92302CM06	366	10
Socket 6A 2/3 Pin 2M	CB92202CW06	296	10	CB92202CM06	371	10
Socket 6A/16A 3 Pin Combi with ISI 2M	CB92302CW16	495	10	CB92302CM16	590	10
Socket 10A/25A 3 Pin Combi 2M	CB92302CW25	520	10	CB92302CM25	622	10
Socket 6A/16A 3 Pin Combi with ISI 3M	CB92303CW16	599	5	CB92303CM16	718	5
Socket 10A/25A 3 Pin Combi 3M	CB92303CW25	623	5	CB92303CM25	746	5
Socket 13A Universal Type 2M	CB92402CW13	388	10	CB92402CM13	474	10

DATA SOCKETS



Description	Snow White			Mountain Grey		
	Cat No	MRP in ₹	Std Pack	Cat No	MRP in ₹	Std Pack
RJ 11 Socket with Shutter 1M	CB92101TW11	278	20	CB92101TM11	348	15
Twin RJ 11 Socket with Shutter 1M	CB92201TW11	379	20	CB92201TM11	474	15
RJ 45 Cat 5e Socket with Shutter 1M	CB92101TW45	889	20	CB92101TM45	1113	15
RJ 45 Cat 6 Socket with Shutter	CB92201TW45	989	20	CB92201TM45	1236	15
TV Socket 1M	CB92101TW00	271	20	CB92101TM00	338	15
RCA Connector 1M	CB92201TW00	3296	20	CB92201TM00	3939	15
HDMI Connector 1M	CB92301TW00	2696	20	CB92301TM00	3223	15
USB Connector 1M	CB92401TW00	2298	20	CB92401TM00	2746	15
VGA Connector 1M	CB92501TW00	2496	20	CB92501TM00	2985	15



CB92101AW00 CB92102LW00 CB92101AW02 CB92401AW00 CB92502AW10



CB92402AW00 CB92701AW00 CB92101AW18 CB92201AM18



CB92104HW10 CB92302HW00 CB92202HW20 CB92302HW32 CB92403HW20



CB92502HW10 CB92602HW10 CB92702HW00 CB92801HW00 CB92902HW00

- USB charger conforms to IS 13252(Part1)
- Electronic ding-dong bell is suitable for small rooms/cabins etc.
- Movement Sensor is for indoor applications only.
- Shaver socket is mono block design and supplied with 4 module cover plate.
- Mechanical & electronic key tags are modular type.

ACCESSORIES

Description	Snow White			Mountain Grey		
	Cat No	MRP in ₹	Std Pack	Cat No	MRP in ₹	Std Pack
Buzzer 2M	CB92102AW00	650	5	CB92102AM00	776	5
Cable Outlet 1M	CB92101AW00	220	20	CB92101AM00	264	15
Blank Off Unit 1M	CB92201AW00	58	20	CB92201AM00	69	20
LED Foot Light 2M (GST @12%)	CB92102LW00	1307	5	CB92102LM00	1566	5
USB Charger 2A 1M	CB92101AW02	1984	10	CB92101AM02	2762	10
New USB Type A Quick Charger 18W 1M	CB92101AW18	2550	10	CB92101AM18	2850	10
New USB Type C PD Charger 18W 1M	CB92201AW18	3350	10	CB92201AM18	3650	10
LED Phase indicator 1M - Full Glow	CB92401AW00	366	20	Same as White		
Curtain Control Switch 10A 2M	CB92502AW10	670	1 set	CB92502AM10	1005	1 set
Electronic Ding-Dong Bell 2M	CB92402AW00	1059	10	CB92402AM00	1323	10
Movement Sensor 1M	CB92701AW00	6502	6	CB92701AM00	8128	6

HOSPITALITY RANGE

Description	Snow White			Mountain Grey		
	Cat No	MRP in ₹	Std Pack	Cat No	MRP in ₹	Std Pack
Shaver socket 4M	CB92104HW10	5480	1	CB92104HM10	6849	1
Mech key tag switch 20A 2M	CB92202HW20	1097	5	CB92202HM20	1372	5
New Spare Key for Mech KeyTag	CB92302HW00	108	10	CB92302HM00	120	10
Mech key tag switch 32A 2M	CB92302HW32	1242	5	CB92302HM32	1553	5
Electronic key tag 20A 3M	CB92403HW20	4896	2	CB92403HM20	6119	2
DND-MMR inside room unit 2M	CB92502HW10	1132	10	CB92502HM10	1416	10
DND-MMR outside room unit 2M	CB92602HW10	804	10	CB92602HM10	1004	10
Volume controller 2M	CB92702HW00	1242	10	CB92702HM00	1553	10
Bell Indicator with Reset 1M	CB92801HW00	1308	6	CB92801HM00	1634	6
Call Bell Station with Indicator 2M	CB92902HW00	1827	10	CB92902HM00	2284	10



MINI MCBs WITH LED INDICATOR



CB92101KW06
CB92101KW10
CB92101KW16
CB92101KW20
CB92101KW25
CB92101KW32



CB92202KW06
CB92202KW10
CB92202KW16
CB92202KW20
CB92202KW25
CB92202KW32



CB92101KM06
CB92101KM10
CB92101KM16
CB92101KM20
CB92101KM25
CB92101KM32



CB92202KM06
CB92202KM10
CB92202KM16
CB92202KM20
CB92202KM25
CB92202KM32



Description	Std Pack	Snow White		Mountain Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
6A SP Mini MCB 3 kA - 1M	10	CB92101KW06	576	CB92101KM06	671
10A SP Mini MCB 3 kA - 1M	10	CB92101KW10	576	CB92101KM10	671
16A SP Mini MCB 3 kA - 1M	10	CB92101KW16	576	CB92101KM16	671
20A SP Mini MCB 3 kA - 1M	10	CB92101KW20	576	CB92101KM20	671
25A SP Mini MCB 3 kA - 1M	10	CB92101KW25	576	CB92101KM25	671
32A SP Mini MCB 3 kA - 1M	10	CB92101KW32	576	CB92101KM32	671
6A DP Mini MCB 3 kA - 2M	5	CB92202KW06	1158	CB92202KM06	1340
10A DP Mini MCB 3 kA - 2M	5	CB92202KW10	1158	CB92202KM10	1340
16A DP Mini MCB 3 kA - 2M	5	CB92202KW16	1158	CB92202KM16	1340
20A DP Mini MCB 3 kA - 2M	5	CB92202KW20	1158	CB92202KM20	1340
25A DP Mini MCB 3 kA - 2M	5	CB92202KW25	1158	CB92202KM25	1340
32A DP Mini MCB 3 kA - 2M	5	CB92202KW32	1158	CB92202KM32	1340

FEATURES

- Mini MCBs with LED indicator
- Range available in Single & Double pole
- Ratings – 6A, 10A, 16A, 20A, 25A & 32A with C Curve
- Conforms to IS/IEC 60898 – part 1
- Breaking capacity – 3 kA
- Trip free mechanism
- No Line load biased
- Suitable for use as isolator
- Available in Snow White & Mountain Grey colors
- IP20 protection
- RoHS Compliant





WOOD PLATES WITHOUT GRID FRAMES



Mocha Wood



Beige Wood



Oak Wood

Description	Std Pack	Mocha Wood		Beige Wood		Oak Wood	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate	1/10	CB92101FM04	1745	CB92101FB04	1745	CB92101FW04	1745
2 Module Cover Plate	1/10	CB92102FM04	1932	CB92102FB04	1932	CB92102FW04	1932
3 Module Cover Plate	1/10	CB92103FM04	2294	CB92103FB04	2294	CB92103FW04	2294
4 Module Cover Plate	1/10	CB92104FM04	2466	CB92104FB04	2466	CB92104FW04	2466
6 Module Cover Plate	1/10	CB92106FM04	2625	CB92106FB04	2625	CB92106FW04	2625
8 Module Cover Plate Horizontal	1/10	CB92108FM04	2865	CB92108FB04	2865	CB92108FW04	2865
8 Module Cover Plate Square	1/5	CB92208FM04	3241	CB92208FB04	3241	CB92208FW04	3241
12 Module Cover Plate	1/5	CB92112FM04	4846	CB92112FB04	4846	CB92112FW04	4846
16 Module Cover Plate	1/4	CB92116FM04	5476	CB92116FB04	5476	CB92116FW04	5476
18 Module Cover Plate	1/5	CB92118FM04	5968	CB92118FB04	5968	CB92118FW04	5968

METAL (ALUMINIUM) PLATES WITHOUT GRID FRAMES



Shadow Black



Metallic Gold



Brush Silver

Description	Std Pack	Shadow Black		Metallic Gold		Brush Silver	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate	1/10	CB92101FB03	2003	CB92101FG03	2003	CB92101FS03	2003
2 Module Cover Plate	1/10	CB92102FB03	2190	CB92102FG03	2190	CB92102FS03	2190
3 Module Cover Plate	1/10	CB92103FB03	2578	CB92103FG03	2578	CB92103FS03	2578
4 Module Cover Plate	1/10	CB92104FB03	2874	CB92104FG03	2874	CB92104FS03	2874
6 Module Cover Plate	1/10	CB92106FB03	3540	CB92106FG03	3540	CB92106FS03	3540
8 Module Cover Plate Horizontal	1/10	CB92108FB03	4214	CB92108FG03	4214	CB92108FS03	4214
8 Module Cover Plate Square	1/5	CB92208FB03	4775	CB92208FG03	4775	CB92208FS03	4775
12 Module Cover Plate	1/5	CB92112FB03	7171	CB92112FG03	7171	CB92112FS03	7171
16 Module Cover Plate	1/4	CB92116FB03	9168	CB92116FG03	9168	CB92116FS03	9168
18 Module Cover Plate	1/5	CB92118FB03	11752	CB92118FG03	11752	CB92118FS03	11752

All wooden, glass and metal plates are supplied without grid frames. Customers need to order the grid plates separately.
Being Natural Wood, color and texture may have variations in supplied wooden plates



GLASS PLATES WITHOUT GRID FRAMES



Icy White



Champagne Gold



Silky Silver

Description	Std Pack	Icy White		Champagne Gold		Silky Silver	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate	1/10	CB92101FW02	1274	CB92101FC02	1274	CB92101FS02	1274
2 Module Cover Plate	1/10	CB92102FW02	1443	CB92102FC02	1443	CB92102FS02	1443
3 Module Cover Plate	1/10	CB92103FW02	1552	CB92103FC02	1552	CB92103FS02	1552
4 Module Cover Plate	1/10	CB92104FW02	2011	CB92104FC02	2011	CB92104FS02	2011
6 Module Cover Plate	1/10	CB92106FW02	2363	CB92106FC02	2363	CB92106FS02	2363
8 Module Cover Plate Horizontal	1/10	CB92108FW02	2678	CB92108FC02	2678	CB92108FS02	2678
8 Module Cover Plate Square	1/5	CB92208FW02	2678	CB92208FC02	2678	CB92208FS02	2678
12 Module Cover Plate	1/5	CB92112FW02	4166	CB92112FC02	4166	CB92112FS02	4166
16 Module Cover Plate	1/4	CB92116FW02	4287	CB92116FC02	4287	CB92116FS02	4287
18 Module Cover Plate	1/5	CB92118FW02	4649	CB92118FC02	4649	CB92118FS02	4649

GLASS PLATES WITHOUT GRID FRAMES



Midnight Black



Oceanic Green



Matte Mirror

Description	Std Pack	Midnight Black		New Oceanic Green		New Matte Mirror	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate	1/10	CB92101FB02	1274	CB92101FG02	1274	CB92101FM02	1274
2 Module Cover Plate	1/10	CB92102FB02	1443	CB92102FG02	1443	CB92102FM02	1443
3 Module Cover Plate	1/10	CB92103FB02	1552	CB92103FG02	1552	CB92103FM02	1552
4 Module Cover Plate	1/10	CB92104FB02	2011	CB92104FG02	2011	CB92104FM02	2011
6 Module Cover Plate	1/10	CB92106FB02	2363	CB92106FG02	2363	CB92106FM02	2363
8 Module Cover Plate Horizontal	1/10	CB92108FB02	2678	CB92108FG02	2678	CB92108FM02	2678
8 Module Cover Plate Square	1/5	CB92208FB02	2678	CB92208FG02	2678	CB92208FM02	2678
12 Module Cover Plate	1/5	CB92112FB02	4166	CB92112FG02	4166	CB92112FM02	4166
16 Module Cover Plate	1/4	CB92116FB02	4287	CB92116FG02	4287	CB92116FM02	4287
18 Module Cover Plate	1/5	CB92118FB02	4649	CB92118FG02	4649	CB92118FM02	4649

All wooden, glass and metal plates are supplied without grid frames. Customers need to order the grid plates separately.



COVER PLATES WITH GRID FRAMES



Snow White



Mountain Grey



Champagne Gold



Moonlight Silver

Description	Std Pack	Snow White		Mountain Grey		Champagne Gold		Moonlight Silver	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate	10	CB92101FW00	206	CB92101FM01	310	CB92101FC01	310	CB92101FS01	310
2 Module Cover Plate	10	CB92102FW00	206	CB92102FM01	310	CB92102FC01	310	CB92102FS01	310
3 Module Cover Plate	10	CB92103FW00	239	CB92103FM01	360	CB92103FC01	360	CB92103FS01	360
4 Module Cover Plate	10	CB92104FW00	275	CB92104FM01	413	CB92104FC01	413	CB92104FS01	413
6 Module Cover Plate	5	CB92106FW00	427	CB92106FM01	639	CB92106FC01	639	CB92106FS01	639
8 Module Cover Plate Horizontal	4	CB92108FW00	505	CB92108FM01	759	CB92108FC01	759	CB92108FS01	759
8 Module Cover Plate Square	5	CB92208FW00	505	CB92208FM01	759	CB92208FC01	759	CB92208FS01	759
12 Module Cover Plate	5	CB92112FW00	681	CB92112FM01	1022	CB92112FC01	1022	CB92112FS01	1022
16 Module Cover Plate	4	CB92116FW00	846	CB92116FM01	1214	CB92116FC01	1214	CB92116FS01	1214
18 Module Cover Plate	5	CB92118FW00	954	CB92118FM01	1368	CB92118FC01	1368	CB92118FS01	1368

All white and colour plates are supplied with grid frames.


GRID FRAMES FOR ALL MATERIAL PLATES (GLASS, METAL, WOOD)



CB92102GB00




CB92103GB00



CB92106GB00



CB92108GB00



CB92112GB00

Description	Std Pack	Cat No	MRP in ₹
1/2 Module Grid Frame	10	CB92102GB00	76
3 Module Grid Frame	10	CB92103GB00	96
4 Module Grid Frame	10	CB92104GB00	114
6 Module Grid Frame	5	CB92106GB00	178
8 Module Grid Frame Horizontal	4	CB92108GB00	210
8 Module Grid Frame Square	5	CB92208GB00	210
12 Module Grid Frame	5	CB92112GB00	288
16 Module Grid Frame	4	CB92116GB00	372
18 Module Grid Frame	5	CB92118GB00	415

For Metal Boxes refer pg. no. 35

A young girl with long dark hair, wearing a white tank top and red shorts, stands barefoot in front of a white wall. Her face and arms are covered in colorful paint splatters. She has her arms raised in a joyful gesture. The wall behind her is also covered in a dense pattern of colorful paint splatters in shades of purple, yellow, red, and blue. The overall scene is vibrant and celebratory.

entice

EVERY SHADE OF YOU

entice and its vibrant palette is made for every shade of you. Every colour is a character, a trait we saw in you. When it adorns your walls it doesn't make a style statement, it makes your statement. So go ahead, find a shade that reflects you.

THE SHADE OF SUCCESS

360-degree /
full rotation of
fan regulator.

Modular
USB
charger.

Complete
connection
solution for
TV, computers,
projectors etc.

Modular MCB
with LED
Indicators.

ISI & CE
certified

Strong,
durable
build.

Safety
shutters.

Sleek,
ribless
design.

Vertical &
horizontal
mounting
plates.

Tested for over
3 Lakh clicks.

HDMI, VGA,
USB & RCA
communication
connectors.

High
gloss
mirror
finish.

SWITCHES, BELL PUSH & MOTOR STARTER



CB91101SW10 CB91301SW10 CB91201SW10 CB91402SW20
 CB91101SW16 CB91301SW16 CB91201SW16 CB91402SW32
 CB91101SW20 CB91301SW20 CB91201SW20
 CB91101SW25 CB91301SW25



CB91101BW10 CB91301BW10 CB91102MW20
 CB91102MW25



CB91101SG10 CB91301SG10 CB91201SG10 CB91402SG20
 CB91101SG16 CB91301SG16 CB91201SG16 CB91402SG32
 CB91101SG25 CB91301SG25



CB91101BG10 CB91301BG10 CB91102MG20
 CB91102MG25

- 3 Lakh switching operation.
- Spark Shield, Captive screws & Tunnel Terminals.
- All Switches and bell push are ISI marked and conforms to IS 3854: 1997
- "AX" rating for switches are suitable to fluorescent lights also.

Description	Std Pack	White		Charcoal Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Switch 10AX 1-Way 1M	20	CB91101SW10	116	CB91101SG10	149
Switch 10AX 1-Way with Indicator 1M	20	CB91301SW10	233	CB91301SG10	326
Switch 10AX 2-Way 1M	20	CB91201SW10	221	CB91201SG10	309
Switch 16AX 1-Way 1M	20	CB91101SW16	261	CB91101SG16	362
Switch 16AX 1-Way with Indicator 1M	20	CB91301SW16	311	CB91301SG16	439
Switch 16AX 2-Way 1M	20	CB91201SW16	326	CB91201SG16	439
Switch 20A 1-Way 1M*	20	CB91101SW20	344	NA	NA
Switch 20A 1-Way with Indicator 1M*	20	CB91301SW20	414	NA	NA
Switch 20A 2-Way 1M*	20	CB91201SW20	414	NA	NA
New Switch 25A 1-Way 1M	20	CB91101SW25	351	CB91101SG25	400
New Switch 25A 1-Way with Indicator 1M	20	CB91301SW25	425	CB91301SG25	461
Switch 20A DP with Indicator 2M	10	CB91402SW20	535	CB91402SG20	703
Switch 32A DP with Indicator 2M	10	CB91402SW32	614	CB91402SG32	843
Bell Push 10A 1M	10	CB91101BW10	246	CB91101BG10	323
Bell Push 10A with Indicator 1M	10	CB91301BW10	283	CB91301BG10	373
Bell Push 10A with Indicator 2M	10	CB91302BW10	366	CB91302BG10	481
Motor Starter 20A 2M	10	CB91102MW20	1117	CB91102MG20	1492
Motor Starter 25A 2M	10	CB91102MW25	1139	CB91102MG25	1523

* Marked Cat Nos are available till stocks last.

SOCKETS



CB91602CW06

CB91202CW06

CB91302CW16
CB91302CW25

CB91302CW06



CB91101CG06

CB91202CG06

CB91302CG16
CB91302CG25

CB91402CG13

- 6A 3 Pin, 6A/16A 3 Pin Combi Sockets conforms to latest IS Standard of IS 1293:2019.
- All sockets are equipped with safety shutters.
- 6A 3 Pin Socket is suitable for 2 Pin Plug top also.

REGULATORS & DIMMERS



CB91101DW04

CB91102DW10

CB91101RW01

CB91102RW02

- 5 step fan regulator conforms to IS 11037: 1984
- All fan regulators are with 360 degree rotation.
- Dimmers only support incandescent and halogen load.

Description	Std Pack	White		Charcoal Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Socket 6A 2-Pin Euro Type 1M	20	CB91101CW06	165	CB91101CG06	235
Socket 6A 3-Pin with ISI 2M	10	CB91602CW06	169	CB91602CG06	241
Socket 6A 5-Pin 2M	10	CB91302CW06	178	CB91302CG06	251
Socket 6A 2/3-Pin 2M (Heavy Duty)	10	CB91202CW06	186	CB91202CG06	260
Socket 6A/16A Combined with ISI 2M	10	CB91302CW16	376	CB91302CG16	529
Socket 10A/25A Combined 2M	10	CB91302CW25	385	CB91302CG25	550
Socket 13A Universal Type 2M	10	CB91402CW13	336	CB91402CG13	450

Description	Std Pack	White		Charcoal Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Dimmer 400W 1M	10	CB91101DW04	790	CB91101DG04	1123
Dimmer 1000W 2M	05	CB91102DW10	1267	CB91102DG10	1803
Fan Regulator 4 - Step 80W 1M	10	CB91101RW01	616	CB91101RG01	883
Fan Regulator 5 - Step 120W 2M with ISI	05	CB91102RW02	851	CB91102RG02	1220

DATA SOCKETS



Description	Standard Pack		White		Charcoal Grey	
	White	Grey	Cat No	MRP in ₹	Cat No	MRP in ₹
RJ 11 Socket with Shutter 1M	20	15	CB91101TW11	231	CB91101TG11	342
Twin RJ 11 Socket with Shutter 1M	20	15	CB91201TW11	323	CB91201TG11	465
RJ 45 Cat 5e Socket with Shutter 1M	20	15	CB91101TW45	754	CB91101TG45	1088
RJ 45 Cat 6 Socket with Shutter 1M	20	15	CB91201TW45	840	CB91201TG45	1208
TV Socket 1M	20	15	CB91101TW00	231	CB91101TG00	329
RCA Connector 1M	20	15	CB91201TW00	2800	CB91201TG00	3853
HDMI Connector 1M	20	15	CB91301TW00	2290	CB91301TG00	3151
USB Connector 1M	20	15	CB91401TW00	1951	CB91401TG00	2686
VGA Connector 1M	20	15	CB91501TW00	2121	CB91501TG00	2919

FEATURES

- Mini MCBs with LED indicator
- Range available in Single & Double pole
- Ratings – 6A, 10A, 16A, 20A, 25A & 32A with C Curve
- Conforms to IS/IEC 60898 – part 1
- Breaking capacity – 3 kA
- Trip free mechanism
- No Line load biased
- Suitable for use as isolator
- Available in White & Charcoal Grey colors
- IP20 protection
- RoHS Compliant



MINI MCB WITH LED INDICATOR

Description	StdPack	White		Charcoal Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
6A SP Mini MCB 3 ka 1M	10	CB91101KW06	507	CB91101KG06	630
10A SP Mini MCB 3 ka 1M	10	CB91101KW10	507	CB91101KG10	630
16A SP Mini MCB 3 ka 1M	10	CB91101KW16	507	CB91101KG16	630
20A SP Mini MCB 3 ka 1M	10	CB91101KW20	507	CB91101KG20	630
25A SP Mini MCB 3 ka 1M	10	CB91101KW25	507	CB91101KG25	630
32A SP Mini MCB 3 ka 1M	10	CB91101KW32	507	CB91101KG32	630
6A DP Mini MCB 3 ka 2M	05	CB91202KW06	1008	CB91202KG06	1245
10A DP Mini MCB 3 ka 2M	05	CB91202KW10	1008	CB91202KG10	1245
16A DP Mini MCB 3 ka 2M	05	CB91202KW16	1008	CB91202KG16	1245
20A DP Mini MCB 3 ka 2M	05	CB91202KW20	1008	CB91202KG20	1245
25A DP Mini MCB 3 ka 2M	05	CB91202KW25	1008	CB91202KG25	1245
32A DP Mini MCB 3 ka 2M	05	CB91202KW32	1008	CB91202KG32	1245

ACCESSORIES



CB91101AW02 CB91401AW00 CB91102AG00 CB91101AG00 CB91201AG00 CB91101AG18 CB91201AW18
 • USB charger conforms to IS 13252(Part1),
 • Electronic ding-dong bell is suitable for small rooms/cabins etc.

Description	Std Pack	White		Charcoal Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Buzzer 2M	5	CB91102AW00	551	CB91102AG00	793
Cable Outlet 1M	White 20 Grey 15	CB91101AW00	187	CB91101AG00	269
Blank off unit 1M	20	CB91201AW00	49	CB91201AG00	71
Foot Light 2M	5	CB91102LW00	1111	CB91102LG00	1598
USB Charger 2A 1M	10	CB91101AW02	1639	CB91101AG02	2449
New USB Type A Quick Charger 18W 1M	10	CB91101AW18	2150	CB91101AG18	2495
New USB Type C PD Charger 18W 1M	10	CB91201AW18	2950	CB91201AG18	3350
LED Phase Indicator- Full Glow 1M	20	CB91401AW00	289	Same as White	
Electronic Ding Dong Bell 2M	10	CB91402AW00	960	CB91402AG00	1273

HOSPITALITY RANGE



CB91202HW20 CB91302HW32 CB91502HW10 CB91602HW10 CB91302HW00



CB91702HW00 CB91801HW00 CB91202HG20 CB91302HG32 CB91502HG10

Mechanical Key Tag are modular type and supplied without any plates.

Description	Std Pack	White		Charcoal Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Mech Key Tag 20A 2M	05	CB91202HW20	828	CB91202HG20	1091
Mech Key Tag 32A 2M	05	CB91302HW32	939	CB91302HG32	1238
New Spare Key for Mech Key Tag	10	CB91302HW00	87	CB91302HG00	98
DND MMR inside room unit 2M	10	CB91502HW10	648	CB91502HG10	946
DND MMR outside room unit 2M	10	CB91602HW10	690	Same as White	
Bell indicator with Reset 1M	10	CB91801HW00	1183	CB91801HG00	1563
Volume Controller 2M	10	CB91702HW00	1148	CB91702HG00	1448

WHITES



The serenity of the white classics are perfect for those who seek understated elegance.



VIVID



Gold Rush



Eco Grey

Handpicked artistic colours that will shine through, as a display of your fine taste.



Charcoal Grey



Ice Silver



Bottle Green



Black Beauty

VIBRANT



Firestorm Orange

Rare & full of life, the vibrant series is full of bright colours, crafted for those who prefer the exotic.



Pearl White



Metallic Grey



Rustic Gold



Rose Gold

WOODEN



Caramel Wood

Rustic & earthy, these wooden tones really bring out the aesthetics of your home.




Dark Chocolate Wood



Cinnamon Wood


COVER PLATE WITH GRID FRAMES - WHITE



- 8M Horizontal Small size, is suitable for 10M ORIS Box.
- All White cover plates supplied with grid frames.
- 16M Cover plate is also suitable for 12M GI metal box.

Description	Std Pack	Cat No	MRP in ₹
1M Grid Frame + 1M Cover Plate	15	CB91101FW00	153
2M Grid Frame + 2M Cover Plate	15	CB91102FW00	153
3M Grid Frame + 3M Cover Plate	10	CB91103FW00	199
4M Grid Frame + 4M Cover Plate	10	CB91104FW00	228
6M Grid Frame + 6M Cover Plate	05	CB91106FW00	306
8M Grid Frame + 8M Cover Plate Horizontal	05	CB91108FW00	363
8M Grid Frame + 8M Cover Plate Square	05	CB91208FW00	363
8M Grid Frame + 8M Cover Plate-Small Size (Suitable for ORIS 10M Boxes)	05	CB91308FW00	430
12M Grid Frame + 12M Cover Plate	05	CB91112FW00	490
16M Grid Frame + 16M Cover Plate	04	CB91116FW00	608
18M Grid Frame + 18M Cover Plate	05	CB91118FW00	642

COVER PLATES WITHOUT GRID FRAMES - VIVID SHADES



- All color plates supplied without grid frames.
- Customer need to select Grid Frames Separately.
- All colour product pictures are for visualization purpose only, actual product colour may vary.
- Automotive Grade 2K PU Paint Technology for Durability.
- 16M Cover plate is also suitable for 12M GI metal box.

Description	Std Pack	Charcoal Grey	Eco Grey	Gold Rush	Ice Silver	Black Beauty	Bottle Green	MRP in ₹
		Cat No	Cat No	Cat No	Cat No	Cat No	Cat No	
1 Module Cover Plate	15	CB91101FG11	CB91101FE11	CB91101FU11	CB91101FI11	CB91101FB11	CB91101FD11	195
2 Module Cover Plate	15	CB91102FG11	CB91102FE11	CB91102FU11	CB91102FI11	CB91102FB11	CB91102FD11	195
3 Module Cover Plate	10	CB91103FG11	CB91103FE11	CB91103FU11	CB91103FI11	CB91103FB11	CB91103FD11	260
4 Module Cover Plate	10	CB91104FG11	CB91104FE11	CB91104FU11	CB91104FI11	CB91104FB11	CB91104FD11	288
6 Module Cover Plate	05	CB91106FG11	CB91106FE11	CB91106FU11	CB91106FI11	CB91106FB11	CB91106FD11	371
8 Module Cover Plate - Horizontal	05	CB91108FG11	CB91108FE11	CB91108FU11	CB91108FI11	CB91108FB11	CB91108FD11	435
8 Module Cover Plate - Square	05	CB91208FG11	CB91208FE11	CB91208FU11	CB91208FI11	CB91208FB11	CB91208FD11	435
8 Module Cover Plate - Horizontal Small Size (Suitable for ORIS 10M Box)	05	CB91308FG11	CB91308FE11	CB91308FU11	CB91308FI11	CB91308FB11	CB91308FD11	515
12 Module Cover Plate	05	CB91112FG11	CB91112FE11	CB91112FU11	CB91112FI11	CB91112FB11	CB91112FD11	589
16 Module Cover Plate	05	CB91116FG11	CB91116FE11	CB91116FU11	CB91116FI11	CB91116FB11	CB91116FD11	798
18 Module Cover Plate	05	CB91118FG11	CB91118FE11	CB91118FU11	CB91118FI11	CB91118FB11	CB91118FD11	886

COVER PLATES WITHOUT GRID FRAMES - VIBRANT SHADES



Rustic Gold

Metallic Grey

Rose Gold



Pearl White

Firestorm Orange

- All color plates supplied without grid frames.
- Customer need to select Grid Frames Separately.
- All colour product pictures are for visualization purpose only, actual product colour may vary.
- Automotive Grade 2K PU Paint Technology for Durability.
- 16M Cover plate is also suitable for 12M GI metal box.

Description	Std Pack	Rustic Gold	Metallic Grey	Pearl White	Firestorm Orange	Rose Gold	MRP in ₹
		Cat No	Cat No	Cat No	Cat No	Cat No	
1 Module Cover Plate	15	CB91101FR11	CB91101FM11	CB91101FP11	CB91101FS11	CB91101FL11	307
2 Module Cover Plate	15	CB91102FR11	CB91102FM11	CB91102FP11	CB91102FS11	CB91102FL11	307
3 Module Cover Plate	10	CB91103FR11	CB91103FM11	CB91103FP11	CB91103FS11	CB91103FL11	384
4 Module Cover Plate	10	CB91104FR11	CB91104FM11	CB91104FP11	CB91104FS11	CB91104FL11	405
6 Module Cover Plate	05	CB91106FR11	CB91106FM11	CB91106FP11	CB91106FS11	CB91106FL11	466
8 Module Cover Plate - Horizontal	05	CB91108FR11	CB91108FM11	CB91108FP11	CB91108FS11	CB91108FL11	610
8 Module Cover Plate - Square	05	CB91208FR11	CB91208FM11	CB91208FP11	CB91208FS11	CB91208FL11	610
8 Module Cover Plate - Horizontal Small Size (Suitable for ORIS 10M Box)	05	CB91308FR11	CB91308FM11	CB91308FP11	CB91308FS11	CB91308FL11	684
12 Module Cover Plate	05	CB91112FR11	CB91112FM11	CB91112FP11	CB91112FS11	CB91112FL11	814
16 Module Cover Plate	05	CB91116FR11	CB91116FM11	CB91116FP11	CB91116FS11	CB91116FL11	896
18 Module Plate	05	CB91118FR11	CB91118FM11	CB91118FP11	CB91118FS11	CB91118FL11	1113

COVER PLATES WITHOUT GRID FRAMES - WOODEN FINISHES



Caramel Wood


Dark Chocolate Wood

Cinnamon Wood


- All color plates supplied without grid frames.
- Customer need to select Grid Frames Separately.
- All colour product pictures are for visualization purpose only, actual product colour may vary.
- Cubic Printing Technology used for wooden finishes.
- 16M Cover plate is also suitable for 12M GI metal box.

Description	Std Pack	Caramel Wood	Dark Chocolate Wood	Cinnamon Wood	MRP in ₹
		Cat No	Cat No	Cat No	
1 Module Cover Plate	15	CB91101FP12	CB91101FL12	CB91101FA12	313
2 Module Cover Plate	15	CB91102FP12	CB91102FL12	CB91102FA12	313
3 Module Cover Plate	10	CB91103FP12	CB91103FL12	CB91103FA12	375
4 Module Cover Plate	10	CB91104FP12	CB91104FL12	CB91104FA12	447
6 Module Cover Plate	05	CB91106FP12	CB91106FL12	CB91106FA12	606
8 Module Cover Plate - Horizontal	05	CB91108FP12	CB91108FL12	CB91108FA12	733
8 Module Cover Plate - Square	05	CB91208FP12	CB91208FL12	CB91208FA12	733
8 Module Cover Plate - Horizontal Small Size (Suitable for ORIS 10M Box)	05	CB91308FP12	CB91308FL12	CB91308FA12	820
12 Module Cover Plate	05	CB91112FP12	CB91112FL12	CB91112FA12	1040
16 Module Cover Plate	05	CB91116FP12	CB91116FL12	CB91116FA12	1311
18 Module Cover Plate	05	CB91118FP12	CB91118FL12	CB91118FA12	1641

GRID FRAMES (FOR VIVID, VIBRANT & WOOD COVER PLATES)



- Grid frames suitable for all colour plates and wooden finish plates.
- Ease for retailers to maintain stocks.



Description	Std Pack	Cat No	MRP in ₹
1/2M Grid Frame	15	CB91102GB00	57
3M Grid Frame	10	CB91103GB00	66
4M Grid Frame	10	CB91104GB00	85
6M Grid Frame	05	CB91106GB00	133
8M Grid Frame Horizontal	05	CB91108GB00	158
8M Grid Frame Square	05	CB91208GB00	158
8M Grid Frame Small Size (Suitable for ORIS 10M Box)	05	CB91308GB00	230
12M Grid Frame	05	CB91112GB00	216
16M Grid Frame	04	CB91116GB00	361
18M Grid Frame	05	CB91118GB00	372

GI METAL MOUNTING BOXES

Description	Std Pack	Cat No	MRP in ₹
GI Metal Box - 1 & 2M	60	CB91102WM00	106
GI Metal Box - 3M	45	CB91103WM00	147
GI Metal Box - 4M	30	CB91104WM00	168
GI Metal Box - 6M	20	CB91106WM00	237
GI Metal Box - 8M Horizontal	15	CB91108WM00	301
GI Metal Box - 8M Square	24	CB91208WM00	301
GI Metal Box - 12M	16	CB91112WM00	443
New GI Metal Box - 16M	12	CB91116WM00	510
GI Metal Box - 18M	10	CB91118WM00	553

- Suitable for entice, englaze and enGem ranges.
- GI Boxes Conforms to IS14772: 2000

INTRODUCING NEW PRODUCTS SOON...

englaze IR TOUCH SWITCHES

- Modular Type Touch Switches suitable for all englaze plates
- Various finishes to suit your home décor
- No need to change existing wiring/mounting boxes
- High reliable life - conforms to international standard
- Child lock/unlock option in remote
- Memory function can be on/off
- Easy to locate in the dark
- Scene configuration
- The range covers Switching, Controls, and Hospitality functions



englaze SOFT FEEL SWITCHES

- Designed for silent operation
- Soft Feel switches
- Flat Aesthetic
- Robust design for longer life
- Heavy duty terminals



enGem BEZEL PLATES

- Plates with Bezel for aesthetic enhancement
- High Durable long life
- Available in Chrome and Golden Bezel options





Switch aisa ki
sab kahe
**waah
waah**



2 AMP USB CHARGING WITH LED INDICATOR

The enGem range allows your customers to fast-charge devices with the power of 2 Amp. That's not all. The range also comes with a Direct USB Charger that has a LED light indicator, The more impressed your customers, the more compliments you'll get.



PREMIUM FLAT DESIGN

Impress your customers with the enGem range of premium flat-design plates. They come with superior plastic quality and wide cover plates that make them durable and easier to install.



HASSLE-FREE PLUGGING

When you choose enGem, your customers can be rest assured about the safety of their children due to it's in-built safety shutter in sockets. More safety is sure to earn you more compliments.



360° ROTATION FOR BREAK-FREE OPERATIONS

When you recommend enGem switches, your customers get to enjoy the comfort of a fan without the hassle of a breakage-prone regulator. The 360° rotation regulator knob is built and designed for break-free operations.



CAPTIVE SCREWS AND FRONT REMOVAL SYSTEM

enGem switches reduce the time taken for every switch installation, thereby helping you finish the job quicker. These switches come with captive screws and front removal switches to make the installation process quicker and easier for you. But faster installations for you also mean lesser wait time for your customers. So, faster you finish the job, the more compliments you are bound to get.



1 LAKH + CLICKS & 10,000 TIMES SOCKET UNPLUGGING

Your customers will only compliment you when the switch you install lasts really long. enGem switches offer more than 1 Lakh clicks, which has also been certified by NABL*. What's more, you can plug sockets in and out over 10,000 times.



SWITCHES & BELL PUSH WITH ISI



CB93101SW06 CB93301SW06 CB93201SW06 CB93101BW06 CB93402SW32
 CB93101SW16 CB93301SW16 CB93201SW16

- 1 Lakh switching operation.
- Spark Shield, Captive screws & Tunnel Terminals.
- All Switches and bell pushes are ISI marked and conforms to IS 3854: 1997
- "AX" rating for switches are suitable to fluorescent lights also.



CB93602CW06 CB93302CW06 CB93302CW16 CB93402CW13
 CB93302CW25

- 6A 3 Pin, 6A/16A 3 Pin Combi Sockets conforms to latest IS Standard of IS 1293:2019.
- All sockets are equipped with safety shutters.
- 6A 3 Pin Socket is suitable for 2 Pin Plug top also.



CB93101RW01 CB93102RW02

- 5 step fan regulator conforms to IS 11037: 1984
- All fan regulators are with 360 degree rotation.
- Dimmers only support incandescent and halogen load.

Description	Std Pack	Cat No	MRP in ₹
Switch 1-way 6AX 1M	20	CB93101SW06	66
Switch 1-way 6AX with indicator 1M	20	CB93301SW06	162
Switch 2 way 6AX 1M	20	CB93201SW06	155
Switch 16AX 1-way 1M	20	CB93101SW16	158
Switch 16AX 1-way with indicator 1M	20	CB93301SW16	218
Switch 16AX 2 way 1M	20	CB93201SW16	228
New Switch 20A 1-way 1M	20	CB93101SW20	182
New Switch 20A 1-way with indicator 1M	20	CB93301SW20	248
Switch 32A DP with Indicator lamp 2M	10	CB93402SW32	393
Bell Push 6A 1M	20	CB93101BW06	172
Bell Push 6A with indicator 2M	10	CB93302BW06	255

POWER SOCKET WITH SAFETY SHUTTER

Description	Std Pack	Cat No	MRP in ₹
Socket 6A 2-Pin Euro 1M	20	CB93101CW06	105
Socket 6A 3-Pin Round with ISI 2M	10	CB93602CW06	110
Socket 6A 5-Pin Round 2M	10	CB93302CW06	114
Socket 6A/16A Combi Type with ISI 2M	10	CB93302CW16	199
Socket 10A/25A Combi Type 2M	10	CB93302CW25	262
Socket 13A Universal Type 2M	10	CB93402CW13	235

REGULATORS & DIMMERS

Description	Std Pack	Cat No	MRP in ₹
Dimmer 400 W 1M	10	CB93101DW04	596
Fan Regulator 4-Step 80W 1M	10	CB93101RW01	432
Fan Regulator 5-Step 120W 2M with ISI	05	CB93102RW02	558

DATA SOCKETS & ACCESSORIES



Description	Std Pack	Cat No	MRP in ₹
RJ11 - Telephone Socket With Shutter 1M	20	CB93101TW11	165
RJ 45 Cat 5e Socket with Shutter 1M	20	CB93101TW45	560
RJ 45 Cat 6 Socket with Shutter 1M	20	CB93201TW45	624
TV Socket 1M	20	CB93101TW00	161
Cable Outlet 1M	20	CB93101AW00	130
Blank Off Unit 1M	20	CB93201AW00	34
LED Foot Light 2M (GST @12%)	05	CB93102LW00	776
USB Charger 2A 1M	10	CB93101AW02	1208
LED Phase Indicator 1M	20	CB93301AW00	151

USB Charger conforms to IS 13252 (Part 1)

FEATURES

- Range available in Single & Double pole
- Ratings – 6A, 10A, 16A, 20A, 25A & 32A with C Curve
- Conforms to IS/IEC 60898 – part 1
- Breaking capacity – 3 kA
- Trip free mechanism
- No Line load biased
- Suitable for use as isolator
- IP20 protection
- RoHS Compliant




CB93101KW06
CB93101KW10
CB93101KW16
CB93101KW20
CB93101KW25
CB93101KW32

CB93202KW06
CB93202KW10
CB93202KW16
CB93202KW20
CB93202KW25
CB93202KW32


MINI MCB

Description	Std Pack	Cat No	MRP in ₹
6A SP Mini MCB 3 kA - 1M	10	CB93101KW06	422
10A SP Mini MCB 3 kA - 1M	10	CB93101KW10	422
16A SP Mini MCB 3 kA - 1M	10	CB93101KW16	422
20A SP Mini MCB 3 kA - 1M	10	CB93101KW20	422
25A SP Mini MCB 3 kA - 1M	10	CB93101KW25	422
32A SP Mini MCB 3 kA - 1M	10	CB93101KW32	422
6A DP Mini MCB 3 kA - 2M	5	CB93202KW06	942
10A DP Mini MCB 3 kA - 2M	5	CB93202KW10	942
16A DP Mini MCB 3 kA - 2M	5	CB93202KW16	942
20A DP Mini MCB 3 kA - 2M	5	CB93202KW20	942
25A DP Mini MCB 3 kA - 2M	5	CB93202KW25	942
32A DP Mini MCB 3 kA - 2M	5	CB93202KW32	942

COVER PLATE & GRID FRAME



Description	Std Pack	Cat No	MRP in ₹
1M Grid Frame + 1M Cover Plate	15	CB93101FW00	91
2M Grid Frame + 2M Cover Plate	15	CB93102FW00	91
3M Grid Frame + 3M Cover Plate	10	CB93103FW00	118
4M Grid Frame + 4M Cover Plate	10	CB93104FW00	139
6M Grid Frame + 6M Cover Plate	05	CB93106FW00	206
8M Grid Frame + 8M Cover Plate Horizontal	05	CB93108FW00	243
8M Grid Frame + 8M Cover Plate Square	05	CB93208FW00	243
12M Grid Frame + 12M Cover Plate	05	CB93112FW00	328
16M Grid Frame + 16M Cover Plate	04	CB93116FW00	486
18M Grid Frame + 18M Cover Plate	05	CB93118FW00	497



GI METAL MOUNTING BOXES

Description	Std Pack	Cat No	MRP in ₹
GI Metal Box - 1 & 2 Module	60	CB93102WM00	79
GI Metal Box - 3 Module	45	CB93103WM00	117
GI Metal Box - 4 Module	36	CB93104WM00	142
GI Metal Box - 6 Module	20	CB93106WM00	204
GI Metal Box - 8 Module Horizontal	15	CB93108WM00	261
GI Metal Box - 8 Module Square	24	CB93208WM00	261
GI Metal Box - 12 Module	16	CB93112WM00	348
GI Metal Box - 16 Module	10	CB93116WM00	426
GI Metal Box - 18 Module	10	CB93118WM00	484



MUSIC FOR YOUR WALLS

THE SIGNATURE DESIGN

- Ribless design - leaves only a hairline gap between switches
- Glossy finish surface enhance brightness in your life
- Stylish rounded contours - minimizes dust collection on surface, easy to clean

INTELLI-I

- Red LED used for power indication and Blue LED for locating switches in the dark
- Smart and long life LED used for indicator & locator switches

SPACE & MONEY SAVER

- Saves space by accommodating more modules in standard wall box of other makes
- Uses smaller wall boxes for the same number of switches hence saves money

SAFETY & QUALITY

- Safety shutters in all power and data sockets
- Finger touch proof IP20 terminals
- Marking on all switches, bell push, plug top & most of the sockets

LONGER LIFE

- Switches Tested for 1.5 lakhs switching operations
- FR grade polycarbonate material for high durability and fire retardant

SWITCHES & BELL PUSH WITH ISI MARKING



OS24W20
OS24W32



OS31W20
OS31W25



OD21W04



OR22W01

- 5 step fan regulator conforms to IS 11037: 1984
- Fan regulator are with 360 degree rotation.
- Dimmers only support incandescent and halogen load.

Description	Std Pack	Cat No	MRP in ₹
Switch 1-Way 10AX 1M	20	OS11W10	158
Switch 2-Way 10AX 1M	20	OS12W10	256
Switch 1-Way Indicator 10AX 1M	20	OS13W10	256
Switch 1-Way 16AX 1M	20	OS11W16	298
Switch 2-Way 16AX 1M	20	OS12W16	354
Switch 1-Way Indicator 16AX 1M	20	OS13W16	332
Switch 1-Way 10AX 1M - W Plain Knob	20	OS15W10	153
Switch 2-Way 10AX 1M - W Plain Knob	20	OS16W10	246
Switch 1-Way 16AX 1M - W Plain Knob	20	OS15W16	284
Switch 2-Way 16AX 1M - W Plain Knob	20	OS16W16	342
Switch DP Indicator 20A 2M	10	OS24W20	574
Switch DP Indicator 32A 2M	10	OS24W32	688
Switch Night Locater 10A 1M	20	OS14W10	279
Bell Push 6A 1M	20	OB11W06	275
Bell Push Indicator 6A 1M	20	OB13W06	307
Bell Push Indicator 10A 2M	10	OB23W10	376
Bell Push 6A 1M - W Plain Knob	20	OB15W06	265

MOTOR STARTER


Description	Std Pack	Cat No	MRP in ₹
Motor Starter 1 PH 20A 3M*	8	OS31W20	1325
Motor Starter 1 PH 25A 3M	8	OS31W25	1351

* Marked Cat Nos are available till stocks last.

FAN REGULATOR & DIMMER

Description	Std Pack	Cat No	MRP in ₹
Dimmer 400W 2M	5	OD21W04	934
Fan Regulator 5-Step 120W 2M with ISI	5	OR22W01	973

SOCKET



Description	Std Pack	Cat No	MRP in ₹
Socket 6A 2 Pin Euro 1M	20	OC11W06	190
Socket 6A 3 Pin with ISI 3M	10	OC36W06	223
Socket 6A 5 Pin Round Type 6A 3M	10	OC32W06	231
Socket 6/16A Combi with ISI 3M	10	OC32W66	438
Socket 6/25A Combi type 3M	10	OC32W25	395
Socket 13A Universal Pin 3M	10	OC32W13	342


DATA SOCKETS

Description	Std Pack	Cat No	MRP in ₹
RJ 11 Socket with Shutter 1M	20	OT11W11	259
RJ 45 Cat 6 Socket with Shutter 1M	20	OT11W45	822
TV Socket 1M	20	OT11W00	232

ACCESSORIES

Description	Std Pack	Cat No	MRP in ₹
LED Foot Light 6M (GST @12%)	5	OL61W06	1095
Indicator Light 1M	20	OA11W00	213
Blank Off Unit 1M	20	OA10W00	44

COVER PLATES WITH GRID FRAMES



* Marked Cat Nos are available till stocks last.



Description	Std Pack	Cat No	MRP in ₹
Grid and Face Plate 1M	15	OF11W00	175
Grid and Face Plate 2M	15	OF21W00	175
Grid and Face Plate 3M	10	OF31W00	215
Grid and Face Plate 3M Mini	10	OF32W00	197
Grid and Face Plate 4M	10	OF41W00	222
Grid and Face Plate 6M	10	OF61W00	293
Grid and Face Plate 8M	10	OF81W00	351
Grid and Face Plate 10M 433	5	OF10W03	415
Grid and Face Plate 10M 433 Suitable for Entice 8M Box	5	OF10W04	423
Grid and Face Plate 12M	5	OF12W00	496
Grid and Face Plate 16M	5	OF16W00	546
Grid and Face Plate 24M	5	OF24W00	716

MOUNTING BOXES - GI METAL BOXES

Description	Std Pack	Cat No	MRP in ₹
GI Recess Wall Box 1/2M	24	OW21M00 *	125
GI Recess Wall Box 3/4M	16	OW41M00 *	154
GI Recess Wall Box 6M	16	OW61M00 *	184
GI Recess Wall Box 8M	16	OW81M00 *	263
GI Recess Wall Box 10M	16	OW10M00	380
GI Recess Wall Box 12M	12	OW12M00 *	412
GI Recess Wall Box 16M	10	OW16M00 *	436
GI Recess Wall Box 24M	6	OW24M00 *	605

MOUNTING BOXES - PLASTIC SURFACE BOXES

Description	Std Pack	Cat No	MRP in ₹
Surface Wall Box 1/2M	20	OW21W00	171
Surface Wall Box 3/4M	12	OW41W00	200
Surface Wall Box 6M	10	OW61W00	239
Surface Wall Box 8M	14	OW81W00	250
Surface Wall Box 10M	10	OW10W00	301
Surface Wall Box 12M	10	OW12W00	328
Surface Wall Box 16M	8	OW16W00	480

* Marked cat nos are Discontinued

STANDALONE RANGE




OP02W06



OP01W06
OP01W16
OP01W25



OP03W06
OP03W16



Lamp Holder

2 in 1

Angle Holder

OA03W01

Batten Holder



OA03W02




OA03W03



OA20W00

With USB Charger



OA05W06



OA04W13



CB93400AB06
CB93300AB06



DIGITAL DING-DONG
7 Ding Dong Tunes
OB31W00



MANTRAS
10 Mantra Tunes
OB32W00



ENGLISH MELODY
25 English Tunes
OB33W00

PLUG TOP

Description	Std Pack	Cat No	MRP in ₹
Plug Top 2 Pin	20	OP02W06	52
Plug Top 6A 3PIN with ISI	10	OP01W06	90
Plug Top 6A 3 Pin indicator with ISI	10	OP03W06	109
Plug Top 16A 3 Pin with ISI	10	OP01W16	138
Plug Top 16A 3 Pin indicator with ISI	10	OP03W16	154
Plug Top 25A 3 Pin	10	OP01W25	152

LAMP HOLDER

Description	Std Pack	Cat No	MRP in ₹
Jumbo Lamp Holder (2 in 1)	24	OA03W01	105
Lamp Holder - Angular Type	30	OA03W02	62
Lamp Holder - Batten Type	40	OA03W03	59
Jumbo Ceiling Rose	40	OA20W00	64

SPIKE GUARDS

Description	Std Pack	Cat No	MRP in ₹
Spike Guard 4-way with Resettable Fuse	1	OA04W13	984
Spike Guard 3-way with Twin USB Charger and Resettable Fuse	1	OA05W06	1684
Spike Guard 4 Way - 1.5 Mtr	1	CB93300AB06	744
Spike Guard 4 Way - 5 Mtr	1	CB93400AB06	1155

DOOR BELLS

Description	Std Pack	Cat No	MRP in ₹
Digital Ding Dong Door Bell	1	OB31W00	416
Digital Mantra Door Bell	1	OB32W00	477
Digital English Door Bell	1	OB33W00	507

SURFACE MOUNTING BOXES

Suitable for entice, englaze and enGem range of plates



KEY FEATURES

- High Impact resistance structural design
- Double wall construction which helps for better air ventilation, more strength and perfect edges matching
- High Quality Brass Inserts for reliability
- Anti-Slip locking Inserts to prevent free rotation
- Unique - "One click knockouts" for easy & faster installation
- Suitable for entice, englaze and enGem ranges of plates
- Knockouts on top, bottom and rear side



PLASTIC SURFACE BOXES

Description	Std Pack	Cat No	MRP in ₹
1 / 2 Module	12	CB91102WP00	95
3 Module	10	CB91103WP00	125
4 Module	12	CB91104WP00	149
6 Module	5	CB91106WP00	195
8 Module Horizontal	5	CB91108WP00	245
8 Module Square	7	CB91208WP00	245
12 Module	5	CB91112WP00	325
16 Module	5	CB91116WP00	345
18 Module	5	CB91118WP00	375



WARRANTY POLICY

- **All products** carry warranty against manufacturing defects due to fault workmanship.
- **All switches, sockets and accessories** carry a warranty of 12 years from the date of manufacturing.
- **Products** with electronic circuits and LED i.e. electronic fan regulators, dimmers, foot light, buzzers, hotel range, USB chargers, bell indicators, sensors etc., carry a warranty of 2 years from the date of manufacturing.
- **All colour products** and material plates carry a warranty of 3 years from the date of manufacturing.
- **Warranty** does not apply to case of breakage/tampering with products.
- **The warranty** is subject to the provision of proper usage and proper maintenance and does not cover defects arising out of fire, accident, insufficient maintenance, faulty operations and wilful or accidental damage.
- **Company** shall not be liable for any consequential losses, injuries or damages attributes to defect or failure of it's products.
- **Trippler, Tripbox and Tripbox PLUS range**
all products listed in the price list carry a warranty against manufacturing defects for a period of 18* months from the date of purchase.

*Proof of purchase to be retained to avail warranty.

ELECTRICAL STANDARD PRODUCTS (ESP) OFFICES:

HEAD OFFICE

L&T Electrical & Automation
TC-II, Tower B, Prima Bay,
Gate No. 5, Saki Vihar Road, Powai,
MUMBAI - 400072.
Tel: 022-67052874 / 2737 / 1156
e-mail: cic@Lntebg.com

L&T Electrical & Automation
Playworkz Coworking Space
43 & 44, 3rd Cross,
Bharathy Colony, Peelamedu,
Coimbatore - 641004
Toll Free: 1800 233 5858 / 1800 200 5858
e-mail: CIC@Lntebg.com

L&T Electrical & Automation
Workie, 214 - 2nd Floor,
Apollo Premier, PU-4,
Scheme No. 54,
Vijay Nagar Square,
Indore - 452010
Toll Free: 1800 233 5858 / 1800 200 5858
e-mail: CIC@Lntebg.com

L&T Electrical & Automation
El Dorado Building 3rd Floor,
6, Venkatraman Street,
Chinna Chokkikulam
Madurai - 625 002
Toll Free: 1800 233 5858 / 1800 200 5858
e-mail: CIC@Lntebg.com

L&T Electrical & Automation
UrbanWrk, 5th Floor, Sai Radhe,
Raja Bahadur Mill road, Behind Hotel
Grand Sheraton, Sangamwadi
Pune - 411001
Toll Free: 1800 233 5858 / 1800 200 5858
e-mail: CIC@Lntebg.com

BRANCH OFFICES

L&T Electrical & Automation
C-201, The First Commercial Complex,
B/S Keshavbaug Party Plot, Vastrapur,
Ahmedabad - 380015
Toll Free: 1800 233 5858 / 1800 200 5858
e-mail: CIC@Lntebg.com

L&T Electrical & Automation
3rd Floor, 1&2 Vijay Park,
Main Chakrata Road, Opp. Anandam
Near Ballupur chowk,
Dehradun - 248001
Toll Free: 1800 233 5858 / 1800 200 5858
e-mail: CIC@Lntebg.com

L&T Electrical & Automation
Office No 430, 4th floor,
Jaipur Electronic Market
Riddhi Siddhi,
Gopalpura Bypass,
Jaipur - 302018
Toll Free: 1800 233 5858 / 1800 200 5858
e-mail: CIC@Lntebg.com

L&T Electrical & Automation
TC II, Tower B, PRIMA BAY
Gate no. 5, Saki Vihar Road Powai,
Mumbai - 400072
Toll Free: 1800 233 5858 / 1800 200 5858
e-mail: CIC@Lntebg.com

L&T Electrical & Automation
Unit No. 207, 2nd Floor, Wallfort Ozone,
Raipur Road, Near Fafadih Chowk,
Raipur - 492001
Toll Free: 1800 233 5858 / 1800 200 5858
e-mail: CIC@Lntebg.com

L&T Electrical & Automation
Wework Central, #36 Infantry Road,
Bengaluru - 560 001
Toll Free: 1800 233 5858 / 1800 200 5858
e-mail: CIC@Lntebg.com

L&T Electrical & Automation
Ground Floor, B-27, Biplab Rashbihari Sarani,
Sector 2A, Bidhan Nagar,
Durgapur - 713212
Toll Free: 1800 233 5858 / 1800 200 5858
e-mail: CIC@Lntebg.com

L&T Electrical & Automation
GDR Siddha, Ground Floor, N Road
Bistupur, Opposite St. Mary's Church,
Jamshedpur - 831001
Toll Free: 1800 233 5858 / 1800 200 5858
e-mail: CIC@Lntebg.com

L&T Electrical & Automation
Unnati Building, 2nd floor,
Automation Campus, A-600, TTC Industrial area,
Shil-Mahape road, Mahape
Navi Mumbai - 400710
Toll Free: 1800 233 5858 / 1800 200 5858
e-mail: CIC@Lntebg.com

L&T Electrical & Automation
10th Floor, Titanium Business,
Bhimrad Road, Althan
Surat - 395017
Toll Free: 1800 233 5858 / 1800 200 5858
e-mail: CIC@Lntebg.com

L&T Electrical & Automation
Under O Launchpad, 4th floor,
Esplanade 1, Rasulgarh
Bhubaneswar - 751010
Toll Free: 1800 233 5858 / 1800 200 5858
e-mail: CIC@Lntebg.com

L&T Electrical & Automation
6th floor, Exotica Greens, A Block, 191,
R G Baruah Road, Guwahati Central,
Guwahati - 781005
Toll Free: 1800 233 5858 / 1800 200 5858
e-mail: CIC@Lntebg.com

L&T Electrical & Automation
Business Communication Centre
2nd Floor, Chiramel Chambers,
Kurisupally Road,
Ravipuram,
Kochi - 682 015
Toll Free: 1800 233 5858 / 1800 200 5858
e-mail: CIC@Lntebg.com

L&T Electrical & Automation
M1 & M2, Mezzanine Floor,
Himalaya Excellency, Plot No - C - 47,
Pratap Nagar Square,
Nagpur - 440022
Toll Free: 1800 233 5858 / 1800 200 5858
e-mail: CIC@Lntebg.com

L&T Electrical & Automation
11th Floor, Block-D, Notus IT Park,
Sarabhai Campus, Bhailal Amin Marg,
Vadodara - 390023
Toll Free: 1800 233 5858 / 1800 200 5858
e-mail: CIC@Lntebg.com

L&T Electrical & Automation
4th floor, SCO-54,55,56,
Sector -17A
Chandigarh - 160017
Toll Free: 1800 233 5858 / 1800 200 5858
e-mail: CIC@Lntebg.com

L&T Electrical & Automation
Shri Daneshwari, 1st Floor,
Plot No. 17, 2nd Cross,
Near Old Income Tax Office Road,
Vidyanagar,
Hubballi - 580021
Toll Free: 1800 233 5858 / 1800 200 5858
e-mail: CIC@Lntebg.com

L&T Electrical & Automation
2nd Floor, BN3, Salt Lake, Sector-V,
Kolkata - 700091
Toll Free: 1800 233 5858 / 1800 200 5858
e-mail: CIC@Lntebg.com

L&T Electrical & Automation
A-25, 1st Floor, Imperia Complex,
Mohan Corporate Industrial Estate,
Near Sarita Vihar Metro Station,
Mathura Road,
New Delhi - 110044
Toll Free: 1800 233 5858 / 1800 200 5858
e-mail: CIC@Lntebg.com

L&T Electrical & Automation
414, 4th Floor, Naga Chambers,
Opposite HDFC Bank
Ram Nagar, Waltair Main Road
Visakhapatnam - 530002
Toll Free: 1800 233 5858 / 1800 200 5858
e-mail: CIC@Lntebg.com

L&T Electrical & Automation
Olympia Technology Park,
10th Floor, CITIUS A Block,
Plot No. 1, Phase 1, Guindy,
Chennai - 600032
Toll Free: 1800 233 5858 / 1800 200 5858
e-mail: CIC@Lntebg.com


L&T Electrical & Automation
AWFIS space solutions, Prestige Phoenix,
4th floor, 1405, Umanagar, Begumpet,
Hyderabad - 500016
Toll Free: 1800 233 5858 / 1800 200 5858
e-mail: CIC@Lntebg.com


L&T Electrical & Automation
No. 10, Fortuna Towers, 2nd floor,
Rana Pratap Marg, Near NBRI
Lucknow - 226001
Toll Free: 1800 233 5858 / 1800 200 5858
e-mail: CIC@Lntebg.com

L&T Electrical & Automation
A06/A07, Second Floor,
Grand Chandra complex, Frazer road
Patna - 800001
Toll Free: 1800 233 5858 / 1800 200 5858
e-mail: CIC@Lntebg.com

Product improvement is a continuous process. For the latest information and special application, please contact any of our offices listed here.
Product photographs shown for representative purpose only.



 **L&T Electrical & Automation,**
Electrical Standard Products,
TC-II, Tower B, Prima Bay, 3rd Floor,
Gate No. 5, Saki Vihar Road, Powai,
Mumbai - 400072, India

 **BSNL / MTNL (toll free) : 1800 233 5858**
Reliance (toll free) : 1800 200 5858
Tel : 022 6774 5858

 cic@Lntebg.com
 www.Lntebg.com



<https://www.facebook.com/intelectricalandautomation/>



@Int_switches



Scan the above QR code to discover us on social media